

| Corn, Cotton, Grapes, Hops, Tree Fruit, Tree Nuts |

## Long-Lasting Mite Control on More Than 60 Crops

Zeal® Miticide¹ offers long-lasting control of Pacific spider mite, two-spotted spider mite, European red mite, Willamette mite and McDaniel spider mite in a single application.

- Proven commercial results on more than 60 different crops, including corn, cotton, grapes, hops, tree fruits, tree nuts and many other crops impacted by mites
- Affects all life stages of mites, including eggs
- Reliable and consistent mode of action (Group 10B) that is compatible with most IPM programs. Excellent fit in resistance management programs that include rotation or combination of different classes of chemistries.
- Translaminar—reaches mites where they hide, under the leaf

## How To Use\*

Crop	Rate (oz/A)	Method	PHI
Caneberries	2–3	Ground	0 days
Corn	1–3	Ground or air <sup>†</sup>	21 days
Cotton	0.66–1	Ground or air	28 days
Cucurbit Vegetables	2–3	Ground or air <sup>†</sup>	7 days
Hops	3–4	Ground	7 days
Low Growing Berries	2–3	Ground	1 day
Mint	2–4	Ground or air <sup>†</sup>	7 days
Peppers and Eggplants	2–3	Ground	7 days
Pome Fruits	2–3	Ground	14 days
Small Fruit Vine Climbing (except fuzzy kiwifruit)	2–3	Ground	14 days
Stone Fruits	2-3	Ground	7 days
Non-Bearing Fruit Trees	2–3	Ground	1 year
Tree Nuts	2–3	Ground	28 days
Tropical and Sub-Tropical Fruits (inedible peel)	2–3	Ground or air <sup>†</sup>	1 day

<sup>\*</sup>Refer to the label for a complete listing of crops.

<sup>&</sup>lt;sup>†</sup>Not approved for aerial application in New York.



## Other Important Information

- ▶ Refer to the label for application restrictions by crop
- ▶ Good coverage is essential. Use adequate water for uniform coverage.
- ▶ Signal word: Caution
- REI: 12 hours